

Motorola RIZR

Specs

Modes	GSM 850 / GSM 900 / GSM 1800 / GSM 1900
Weight	3.92 oz (111 g)
Dimensions	4.15" x 1.79" x 0.65" (105 x 45 x 16.5 mm)
Form Factor	Slide spring-assisted Internal Antenna
Battery Life	Talk: 3.3 hours (200 minutes) Standby: 225 hours (9.4 days)
Battery Type	Lilon 780 mAh
Display	Type: LCD (Color TFT/TFD) Colors: 262,144 (18-bit) Resolution: 176 x 220 pixels
Platform / OS	(N/A)
Processor	?
Memory	24 MB (built-in, flash shared memory)
Phone Book Capacity	?
FCC ID	IHDT56GY1 » (Approved Oct 12, 2006)

Features

Accessibility

Digital TTY/TDD	Yes
Multiple Languages	Yes
Alerts	
Polyphonic Ringtones	Yes
Ringer Profiles	Yes
Vibrate	Yes

Connectivity

Bluetooth	Supported Profiles: HSP, HFP 1.5, DUN, OPP, FTP, A2DP, AVRC, BIP, BPP version 1.2
PC Sync	Yes
USB	Version: 2.0 built-in mini-USB connector

Contacts

Multiple Numbers per Name	Numbers per entry: 6
---------------------------	----------------------

plus 3 email addresses

Picture ID	Yes
Ringer ID	Yes
Voice Dialing	Yes
Customization	
Custom Graphics	Yes
Custom Ringtones	Yes
Real-Music Ringers	Yes
Data & Network	
Data-Capable	Yes
Flight Mode	CEA Standard Icon: No
Packet Data	Technology: EDGE (EGPRS) class 12
WAP / Web Browser	Yes
Input	
Predictive Text Entry	Technology: iTAP
Side Keys	volume, camera keys on left / voice, video keys on right
Memory	
Memory Card Slot	Card Type: microSD (TransFlash) hot-swappable / under battery cover
Messaging	
Email Client	<i>Some versions only</i>
EMS / Picture Messaging	Yes
MMS	Yes
Text Messaging	2-Way: Yes
Text Messaging Templates	Yes
Music	
Music Player	Supported Formats: MP3, AAC
Photo & Video	
Camera	Resolution: 2+ megapixel LED flash, brightness control, night mode
PictBridge	Yes
Video Capture	Max. Length: available memory QCIF resolution (176 x 144 pixels)
Productivity	
Alarm	Yes
Calculator	Yes
Calendar	Yes

SyncML	Yes
Voice Memo	Yes
Software	
Games	Yes
Java (J2ME)	Version: MIDP 2.0, CLDC 1.1
Voice	
Speaker Phone	Yes